



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND
CITIES—UNTABULATED.

AFRICA—*Sierra Leone*.—Month of June, 1909. Estimated population, 40,000. Total number of deaths, 106.

Month of July, 1909. Total number of deaths, 109. No deaths from contagious diseases.

ALGERIA—*Algiers*.—Month of August, 1909. Estimated population, 155,000. Total number of deaths, 272, including enteric fever 3, smallpox 4, typhus fever 5 (imported from country districts), whooping cough 1, and 60 from tuberculosis.

Bona.—Month of August, 1909. Estimated population, 42,000. Total number of deaths, 98, including enteric fever 1, scarlet fever 1, smallpox 8, typhus fever 3, and 12 from tuberculosis.

ARGENTINA—*Buenos Aires*.—Month of June, 1909. Estimated population, 1,204,007. Total number of deaths, 1,627, including diphtheria 4, enteric fever 17, measles 2, scarlet fever 6, smallpox 15, whooping cough 2, and 154 from tuberculosis.

AUSTRALIA—*State of South Australia*.—Eight weeks ended July 24, 1909. Estimated population, 394,692. Total number of deaths, 567, including diphtheria 1, enteric fever 6, whooping cough 3, plague 1, and 55 from tuberculosis.

Adelaide.—Eight weeks ended July 24, 1909. Estimated population, 40,185. Total number of deaths not reported. One death from enteric fever, 1 from plague, and 14 deaths from tuberculosis reported.

State of Victoria.—Four weeks ended June 30, 1909. Estimated population, 1,273,313. Total number of deaths not reported. Three deaths from diphtheria, 12 from enteric fever, and 7 from scarlet fever reported.

Four weeks ended July 28, 1909. Nine deaths from diphtheria, 2 from enteric fever, and 4 from scarlet fever reported.

Melbourne.—Six weeks ended June 29, 1909. Estimated population, 549,200. Total number of deaths not reported. Two deaths from diphtheria, 2 from enteric fever, and 4 from scarlet fever reported.

Four weeks ended July 28, 1909. Seven deaths from diphtheria, 1 from enteric fever, and 2 from scarlet fever reported.

CANADA—*Yarmouth*.—Month of August, 1909. Estimated population, 6,700. Total number of deaths, 6. No contagious diseases.

CUBA—*Matanzas*.—Twenty days ended September 10, 1909. Estimated population, 36,009. Total number of deaths, 39, including measles 1 and 10 from tuberculosis.

Sagua la Grande.—Month of August, 1909. Estimated population, 28,030. Total number of deaths, 57. No contagious diseases reported.

DUTCH GUIANA—*Paramaribo*.—Month of August, 1909. Estimated population, 34,962. Total number of deaths, 107. No contagious diseases reported.

FORMOSA.—Two weeks ended August 7, 1909. Estimated population, 3,108,723. Total number of deaths reported, 12, including 8 from enteric fever.

FRANCE—*Calais*.—Month of August, 1909. Estimated population, 80,000. Total number of deaths, 97, including 22 from tuberculosis.

Marseille.—Month of August, 1909. Estimated population, 517,498. Total number of deaths, 870, including diphtheria 7, enteric fever 38, measles 13, scarlet fever 2, smallpox 1, whooping cough 3, and 103 from tuberculosis.

St. Etienne.—Two weeks ended August 31, 1909. Estimated population, 150,000. Total number of deaths, 119, including enteric fever 1 and 16 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended August 28, 1909, correspond to an annual rate of 12.9 per 1,000 population, which is estimated at 16,445,281.

London.—One thousand one hundred and fifty-three deaths were registered during the week, including measles 12, scarlet fever 6, diphtheria 5, whooping cough 15, tuberculosis 158, enteric fever 1, and 159 from diarrhea. The deaths from all causes correspond to an annual rate of 12.4 per 1,000. In Greater London 1,596 deaths were registered. In the "outer ring" the deaths included 5 from measles, 1 from scarlet fever, 7 from diphtheria, and 4 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended August 28, 1909, in the 21 principal town districts of Ireland was 18.1 per 1,000 of the population, which is estimated at 1,142,308. The lowest rate was recorded in Wexford, viz, 4.7, and the highest in Clonmel, viz, 25.6 per 1,000.

Scotland.—The deaths registered in 8 principal towns during the week ended August 28, 1909, correspond to an annual rate of 12.7 per 1,000 of the population, which is estimated at 1,839,038. The highest rate of mortality was recorded in Dundee, viz, 20.3, and the lowest in Leith and Perth, viz, 8.5 per 1,000. The aggregate number of deaths registered from all causes was 454, including diphtheria 2, enteric fever 1, measles 3, scarlet fever 3, and 7 from whooping cough.

Malta.—Five weeks ended August 28, 1909. Estimated population, 212,888. Total number of deaths, 510, including enteric fever 6, whooping cough 4, and 21 from tuberculosis.

MAURITIUS—*Port Louis*.—Month of June, 1909. Estimated population, 374,237. Total number of deaths 1,053, including diphtheria 2, enteric fever 5, measles 1, plague 3, and 56 from tuberculosis.

RUSSIA—*Libau*.—Period from July 14 to August 13, 1909. Estimated population, 10,000. Total number of deaths not reported.

One death from diphtheria, 2 deaths from measles, 8 deaths from scarlet fever, and 1 death from whooping cough reported.

SPAIN—*Madrid*.—Month of August, 1909. Estimated population, 595,586. Total number of deaths 1,262, including diphtheria 9, enteric fever 13, measles 5, scarlet fever 4, smallpox 114, typhus fever 50, and 145 from tuberculosis.

WEST INDIES—*Curaçao*.—Three weeks ended September 10, 1909. Estimated population, 30,000. Total number of deaths, 29. No contagious diseases.

St. Thomas.—Three weeks ended July 30, 1909. Estimated population, 11,012. Total number of deaths, 20. No deaths from contagious diseases. Four weeks ended August 31, 1909. Total number of deaths, 13. No deaths from contagious diseases.

ST. VINCENT ISLAND.—Seven weeks ended August 28, 1909. Estimated population, 51,779. Number of deaths not reported. No contagious diseases reported.

TURKS ISLANDS.—Seven weeks ended September 11, 1909. Estimated population, 1,800. Total number of deaths, 4. No contagious diseases.

Cockburn Harbor.—Four weeks ended September 11, 1909. Estimated population, 800. One death. No contagious diseases.

Salt Cay.—Four weeks ended September 11, 1909. Estimated population, 450. One death. No contagious diseases.

VENEZUELA—*State of Tachira*.—Month of April, 1909. Census population, 105,866. Total number of deaths, 300, including enteric fever 6, whooping cough 20, and 21 from tuberculosis. Month of May, 1909. Total number of deaths 298, including enteric fever 5, whooping cough 29, and 18 from tuberculosis.

Cholera, yellow fever, plague, and smallpox, from June 26 to October 1, 1909.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls, through the Department of State and from other sources.]

[For reports received from December 25, 1908, to June 25, 1909, see PUBLIC HEALTH REPORTS for June 25, 1909.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Amoy.....	June 13-Aug. 14....	122	
Chefoo.....	Aug. 28.....	5	Among Europeans.
Hankow.....	July 17-Aug. 9....	5	3	
Kang Thau.....	Apr. 1-June 30....	4	2	
Shanghai.....	July 26-31.....	3	1	On s. s. Hudson; Aug. 7, still present among foreigners and natives.
Swatow.....	May 11-29.....	Present in vicinity.
Germany:				
Königsberg.....	July 21.....	1	
India:				
Bombay.....	May 30-Aug. 24....	301	
Calcutta.....	May 16-Aug. 14....	402	
Madras.....	May 29-Aug. 13....	6	
Negapatam.....	May 8-14.....	4	
Rangoon.....	May 16-Aug. 14....	39	